

Lumina | QuickPress

by FDC

HEAT TRANSFER VINYL

Introducing | A New Heat Transfer Vinyl

Lumina® QuickPress (9010 Series) is an all new heat transfer vinyl (HTV) designed to unlock your potential. This special adhesive activates at 260° and takes only 5 seconds to bond, which opens up more fabric possibilities than most other HTV alternatives.

This adhesive has a hot or cold separation/peel that is also resistant to washing. You can immediately peel the carrier away for instant results. Lumina® QuickPress is suitable for use on cotton, polyester, mixed textiles, "technical textiles", performance wear, spandex/elastane and more!

Add your own flare - quicker than ever.

**Quick.
Easy.
And To The Point.**



**260°
Application**



**5-Second
Press Time**



**Applies To
Multiple Fabrics**



**Polyester
Safe**

Lumina
by FDC

FDC
COUNT ON US

 **schillers**
DIGITAL PRINTER GROUP

9240 Manchester Road
St. Louis, MO 63144
dpg.schillers.com
314-968-3650 • 800-366-7244

Product/Technical Specs:

Film Technology | Polyurethane
Application Temp | 260° F
Application Time | 5 seconds
Film Thickness | 3.5 mil
Blockout | Yes
Outdoor Durability | N/A
Adhesive / Color | Permanent
(Heat Activated) Clear

Liner | Pressure Sensitive PET
Computer Cut | Yes
Steel Rule | Yes
Flat Bed | Yes
Sheetable | Yes
Laminate | No
Shelf Life | 2 years

Printing | No
Pressure | Medium
Washability | Excellent
Width Offered | 12", 15"
Lengths Offered | 10 yd, 50 yd,
(sheeting available upon request)
Certifications | REACH Compliant

Lumina® QuickPress Colors (9010 Series)



002 White



060 Bright Cardinal Red



106 Medium Green



028 Dove Grey



067 Fluorescent Yellow



182 Sunbeam Yellow



001 Red



018 Olympic Blue



003 Black



009 Fluorescent Orange



006 Yellow



076 Magenta



005 Blue



004 Gold



280 Fluorescent Pink



113 Tangerine



247 Vibrant Green



011 Dark Blue



007 Silver

LIT199010-001

Applies On

- Cotton
- Cotton Blends
- Polyester
- Spandex
- Poly Blends
- Tri Blends
- Rayon
- Elastic Fibers/Stretch Materials

(For ultimate stretch HTV film, consider Lumina® 9004 Stretch Opaque Series)

Care

- Always make sure that you follow the garment's instructions.
- Do not wash your finished products for up to 24 hours post-application.
- If you are hand ironing make sure to only iron the backside of the graphic.
- Machine wash in warm water with a mild detergent and air dry. Do not bleach.

Application Steps

1. Get creative with your designs!
2. Cut your Lumina® QuickPress material in reverse! (Make sure you use a 45° blade!)
3. Line up your design, place your protectant cover on top and press away!
4. Lumina® QuickPress is a hot or cold peel, giving you the option to peel the carrier off right away!



@luminabyfdc

fdcfilms@fdcfilms.com | 800-634-7523 | luminabyfdc.com