

MO-240 Print Speeds

CMYKGIGIWhWh/CMYKGIPrWhWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKGIGIWhWh/CMYKGIPrWhWh	Generic	High Quality	CMYK	720	1200	16	31.59	16.7
CMYKGIGIWhWh/CMYKGIPrWhWh			W->CMYK	720	1200	16	31.59	15.8
CMYKGIGIWhWh/CMYKGIPrWhWh			CMYK->W	720	1200	16	31.59	15.8
CMYKGIGIWhWh/CMYKGIPrWhWh			White	720	1200	16	31.59	16.7
CMYKGIGIWhWh/CMYKGIPrWhWh			White HD	1200	1200	16	18.95	14.7
CMYKGIGIWhWh/CMYKGIPrWhWh			CMYK	900	900	12	31.59	22.3
CMYKGIGIWhWh/CMYKGIPrWhWh		W->CMYK	720	900	12	26.36	19.7	
CMYKGIGIWhWh/CMYKGIPrWhWh		CMYK->W	720	900	12	26.36	19.7	
CMYKGIGIWhWh/CMYKGIPrWhWh		White	720	900	12	26.36	20.8	
CMYKGIGIWhWh/CMYKGIPrWhWh		CMYK 8pass	720	600	8	31.59	33.1	
CMYKGIGIWhWh/CMYKGIPrWhWh		W->CMYK 8pass	720	600	8	26.36	29.6	
CMYKGIGIWhWh/CMYKGIPrWhWh		CMYK->W 8pass	720	600	8	26.36	29.6	
CMYKGIGIWhWh/CMYKGIPrWhWh		White	720	600	8	26.36	31.6	
CMYKGIGIWhWh/CMYKGIPrWhWh		CMYK 6pass	720	600	6	31.59	45.4	
CMYKGIGIWhWh/CMYKGIPrWhWh		W->CMYK 6pass	720	600	6	26.36	39.7	
CMYKGIGIWhWh/CMYKGIPrWhWh		CMYK->W 6pass	720	600	6	26.36	39.7	
CMYKGIGIWhWh/CMYKGIPrWhWh		CMYK	360	300	2	26.36	126.8	
CMYKGIGIWhWh/CMYKGIPrWhWh		W->CMYK	360	300	2	26.36	117.3	
CMYKGIGIWhWh/CMYKGIPrWhWh		CMYK->W	360	300	2	26.36	117.3	
CMYKGIGIWhWh/CMYKGIPrWhWh		White	360	300	2	26.36	126.8	

CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh	Generic	High Quality	CMYKOrRe	720	1200	16	31.59	15.8
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			W->CMYKOrRe	720	1200	16	18.49	6.1
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W	720	1200	16	18.49	6.1
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	720	1200	16	18.49	14.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White HD	1200	1200	16	15.17	13.1
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe	720	900	12	31.59	20.9
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		W->CMYKOrRe	720	900	12	22.46	9.3	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		CMYKOrRe->W	720	900	12	22.46	9.3	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		White	720	900	12	22.46	19.7	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		CMYKOrRe 8pass	720	600	8	31.59	29.6	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		W->CMYKOrRe 8pass	720	600	8	22.46	13.7	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		CMYKOrRe->W 8pass	720	600	8	22.46	13.7	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		White	720	600	8	22.46	29.6	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		CMYKOrRe 6pass	720	600	6	31.59	42.6	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		W->CMYKOrRe 6pass	720	600	6	22.46	18.6	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		CMYKOrRe->W 6pass	720	600	6	22.46	18.6	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		CMYKOrRe	360	300	2	26.36	117.3	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		W->CMYKOrRe	360	300	2	26.36	60.3	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		CMYKOrRe->W	360	300	2	26.36	60.3	
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		White	360	300	2	26.36	117.3	



**schillers**

DIGITAL PRINTER GROUP

9240 Manchester Road • St. Louis, MO 63144

314-968-3650 • 800-366-7244

dpg.schillers.com

CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh	Generic	High Quality	CMYKOrRe	720	1200	16	31.89	15.8
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			W->CMYKOrRe	720	1200	16	18.66	6.1
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W	720	1200	16	18.49	6.1
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	720	1200	16	18.49	14.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White HD	1200	1200	16	15.17	13.1
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe	720	900	12	31.59	20.9
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		Standard	W->CMYKOrRe	720	900	12	22.46	9.3
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W	720	900	12	22.46	9.3
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	720	900	12	22.46	19.7
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe 8pass	720	600	8	31.59	29.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		High Speed	W->CMYKOrRe 8pass	720	600	8	22.46	13.7
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W 8pass	720	600	8	22.46	13.7
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	720	600	8	22.46	29.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe 6pass	720	600	6	31.59	42.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			W->CMYKOrRe 6pass	720	600	6	22.46	18.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W 6pass	720	600	6	22.46	18.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		Draft	CMYKOrRe	360	300	2	26.36	117.3
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			W->CMYKOrRe	360	300	2	26.36	60.3
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W	360	300	2	26.36	60.3
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	360	300	2	26.36	117.3

CMYKOrReWhWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKOrReWhWh	Generic	High Quality	CMYKOrRe	720	1200	16	31.59	15.8
CMYKOrReWhWh			W->CMYKOrRe	720	1200	16	18.49	6.1
CMYKOrReWhWh			CMYKOrRe->W	720	1200	16	18.49	6.1
CMYKOrReWhWh			White	720	1200	16	31.59	16.7
CMYKOrReWhWh			White HD	1200	1200	16	18.95	14.7
CMYKOrReWhWh			CMYKOrRe	720	900	12	31.59	20.9
CMYKOrReWhWh		Standard	W->CMYKOrRe	720	900	12	22.46	9.3
CMYKOrReWhWh			CMYKOrRe->W	720	900	12	22.46	9.3
CMYKOrReWhWh			White	720	900	12	26.36	20.8
CMYKOrReWhWh			CMYKOrRe 8pass	720	600	8	31.59	29.6
CMYKOrReWhWh		High Speed	W->CMYKOrRe 8pass	720	600	8	22.46	13.7
CMYKOrReWhWh			CMYKOrRe->W 8pass	720	600	8	22.46	13.7
CMYKOrReWhWh			White	720	600	8	26.36	31.6
CMYKOrReWhWh			CMYKOrRe 6pass	720	600	6	31.59	42.6
CMYKOrReWhWh			W->CMYKOrRe 6pass	720	600	6	22.46	18.6
CMYKOrReWhWh			CMYKOrRe->W 6pass	720	600	6	22.46	18.6
CMYKOrReWhWh		Draft	CMYKOrRe	360	300	2	26.36	117.3
CMYKOrReWhWh			W->CMYKOrRe	360	300	2	26.36	60.3
CMYKOrReWhWh			CMYKOrRe->W	360	300	2	26.36	60.3
CMYKOrReWhWh			White	360	300	2	26.36	126.8

CMYKOrReWhWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKOrReWhWh	Generic	High Quality	CMYKOrRe	720	1200	16	31.59	15.8
CMYKOrReWhWh			W->CMYKOrRe	720	1200	16	18.49	6.1
CMYKOrReWhWh			CMYKOrRe->W	720	1200	16	18.49	6.1
CMYKOrReWhWh			White	720	1200	16	31.59	16.7
CMYKOrReWhWh			White HD	1200	1200	16	18.95	14.7
CMYKOrReWhWh		Standard	CMYKOrRe	720	900	12	31.59	20.9
CMYKOrReWhWh			W->CMYKOrRe	720	900	12	22.46	9.3
CMYKOrReWhWh			CMYKOrRe->W	720	900	12	22.46	9.3
CMYKOrReWhWh			White	720	900	12	26.36	20.8
CMYKOrReWhWh		High Speed	CMYKOrRe 8pass	720	600	8	31.59	29.6
CMYKOrReWhWh			W->CMYKOrRe 8pass	720	600	8	22.46	13.7
CMYKOrReWhWh			CMYKOrRe->W 8pass	720	600	8	22.46	13.7
CMYKOrReWhWh			White	720	600	8	26.36	31.6
CMYKOrReWhWh			CMYKOrRe 6pass	720	600	6	31.59	42.6
CMYKOrReWhWh			W->CMYKOrRe 6pass	720	600	6	22.46	18.6
CMYKOrReWhWh			CMYKOrRe->W 6pass	720	600	6	22.46	18.6
CMYKOrReWhWh	Draft		CMYKOrRe	360	300	2	26.36	117.3
CMYKOrReWhWh			W->CMYKOrRe	360	300	2	26.36	60.3
CMYKOrReWhWh			CMYKOrRe->W	360	300	2	26.36	60.3
CMYKOrReWhWh		White	360	300	2	26.36	126.8	

Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh	Special Effect	Standard	GlossVarnish	720	1200	16->12	26.36	9.3
Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh			MatteVarnish	720	1200	16	26.36	13.3
Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh			Embossing	720	1200	16->12	26.36	9.3
Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh		High Speed	GlossVarnish	720	1200	12	26.36	20.8
Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh			MatteVarnish	720	600	8	26.36	31.6
	Mode	Quality	Ink Color	Scan (dpi)	Feed (dpi)	Pass (pass)	ScanSpeed (Inches/s)	Throughput (Sq Feet/h)
Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh	Primer	Standard	Primer	720	900	8	31.59	33.1
Ink type : CMYKGIGIWhWh/CMYKGIPrWhWh		High Speed	Primer	360	300	2	31.59	136.3

CMYKGIGIWhWh/CMYKGIPrWhWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKGIGIWhWh/CMYKGIPrWhWh	Generic Distance	High Quality	CMYK	1200	1200	16	0.46	109.8
CMYKGIGIWhWh/CMYKGIPrWhWh			W->CMYK	1200	1200	16	0.46	103.3
CMYKGIGIWhWh/CMYKGIPrWhWh			CMYK->W	1200	1200	16	0.46	103.3
CMYKGIGIWhWh/CMYKGIPrWhWh			White	1200	1200	16	0.46	109.8
CMYKGIGIWhWh/CMYKGIPrWhWh		Standard	CMYK	720	1200	12	0.46	145.3
CMYKGIGIWhWh/CMYKGIPrWhWh			W->CMYK	720	1200	12	0.46	136.7
CMYKGIGIWhWh/CMYKGIPrWhWh			CMYK->W	720	1200	12	0.46	136.7
CMYKGIGIWhWh/CMYKGIPrWhWh			White	720	1200	12	0.46	145.3

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKGIGIWhWh/CMYKGIPrWhWh	Text Decoration	Standard	CMYK	1200	1200	12	0.93	19.9
CMYKGIGIWhWh/CMYKGIPrWhWh			W->CMYK	1200	1200	12	0.93	18.6
CMYKGIGIWhWh/CMYKGIPrWhWh			CMYK->W	1200	1200	12	0.93	18.6
CMYKGIGIWhWh/CMYKGIPrWhWh			White	1200	1200	12	0.93	19.9

CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh	Generic distance	High Quality	CMYKOrRe	1200	1200	16	11.7	9.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			W->CMYKOrRe	1200	1200	16	11.7	4.7
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W	1200	1200	16	11.7	4.7
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	1200	1200	16	11.7	10.2
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe	1200	1200	16	11.7	9.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh		Standard	W->CMYKOrRe	1200	1200	16	11.7	4.7
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W	1200	1200	16	11.7	4.7
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	1200	1200	16	11.7	10.2

Ink Type	Mode	Quality	Color mode	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(mm/s)	(m/h)
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh	Text Decoration	Standard	CMYKOrRe	1200	1200	12	23.712	18.6
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			W->CMYKOrRe	1200	1200	12	23.712	9.5
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			CMYKOrRe->W	1200	1200	12	23.712	9.5
CMYKOrReGIWh/CMYKOrRePrWh/CMYKReGIPrWh			White	1200	1200	12	23.712	19.9

CMYKOrReWhWh

Ink Type	Mode	Quality	Ink Color	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(Inches/s)	(Sq Feet/h)
CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh	Generic distance	High Quality	CMYKOrRe	1200	1200	16	11.7	9.6
			W->CMYKOrRe	1200	1200	16	11.7	4.7
			CMYKOrRe->W	1200	1200	16	11.7	4.7
			White	1200	1200	16	11.7	10.2
		Standard	CMYKOrRe	720	1200	12	11.7	12.6
			W->CMYKOrRe	720	1200	12	11.7	6.5
			CMYKOrRe->W	720	1200	12	11.7	6.5
			White	720	1200	12	11.7	13.5

	Mode	Quality	Color mode	Scan	Feed	Pass	ScanSpeed	Throughput
				(dpi)	(dpi)	(pass)	(mm/s)	(m <sup>2</sup> /h)
CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh CMYKOrReWhWh	Text Decoration	Standard	CMYKOrRe	1200	1200	12	23.712	18.6
			W->CMYKOrRe	1200	1200	12	23.712	9.5
			CMYKOrRe->W	1200	1200	12	23.712	9.5
			White	1200	1200	12	23.712	19.9